## IN THE CLAIMS

Please amend the claims as follows. This listing of the claims will replace all prior versions, and listings, of the claims in the Application.

1. (currently amended) An articulated lorry trailer comprising an enclosed compactorless elongated material-carrying container carried upon a chassis having a plurality of road wheels, wherein the container has a floor, a rear wall and two side walls, a roof and a front having an access door therein, wherein the interior surfaces of the container are substantially flat; wherein the interior of the container includes one of a transverse moveable wall and a headboard defining a cavity between said one of the transverse moveable wall and the headboard and the access door wherein said one of the transverse moveable wall and the headboard is advanceable between a first position adjacent the access door wherein the capacity of the cavity is at a minimum and a second position remote the access door in which capacity of the cavity is at a maximum; and wherein the container further comprises transport means to cause longitudinal transport toward the rear wall of material placed within the cavity; whereincharacterised in that an aperture through which said material is loaded into the cavity is provided in the roof of the container generally adjacent the access door and a cover is provided moveable between a first position covering the aperture and a second position wherein access through the aperture is unobstructed by the cover; and whereinfurther characterized in that the transport means comprises a walking floor.

2. (canceled)



- 3. (previously amended) A trailer as claimed in Claim 1 wherein a sheet, preferably of canvas, is attached to the bottom edge of one of the transverse moveable wall and the headboard.
- 4. (previously amended) A trailer as claimed in Claim 1 wherein the cover has two wheels extending transversely outward from each side edge of the cover, each wheel engaging a respective horizontal longitudinal channel formed in the respective channel assemblies mounted on the roof of the container either side of the aperture.
- 5. (original) A trailer as claimed in Claim 4 wherein each channel of each channel assembly comprises a substantially horizontal portion and the inclined portion, the inclined portion being at that end of each channel most adjacent to the aperture and being downwardly orientated with respect to the horizontal portion.
- 6. (previously amended) A trailer as claimed in Claim 1wherein movement of the cover between the first and the second positions is remotely actuated by means of at least one of hydraulic rams, hydraulic pistons, pneumatic rams and pneumatic pistons.
- 7. (withdrawn currently amended) A raw material delivery and <u>compactorless</u> waste collection system for a premises; the system comprising:
  - [[(i)]]providing at least two <u>articulated lorry trailers each comprising</u>
    enclosed compactorless elongated material-carrying container carried
    upon a chassis having a plurality of road wheels, wherein the container
    has a floor, a rear wall and two side walls, a roof and a front having an
    access door therein, wherein the interior surfaces of the container are

B

substantially flat; wherein the interior of the container includes one of a transverse moveable wall and a headboard defining a cavity between said one of the transverse moveable wall and the headboard and the access door wherein said one of the transverse moveable wall and the headboard is advanceable between a first position adjacent the access door wherein the capacity of the cavity is at a minimum and a second position remote the access door in which capacity of the cavity is at a maximum; and wherein the container further comprises transport means to cause longitudinal transport toward the rear wall of material placed within the cavity; wherein an aperture through which said material is loaded into the cavity is provided in the roof of the container generally adjacent the access door and a cover is provided moveable between a first position covering the aperture and a second position wherein access through the aperture is unobstructed by the cover; and wherein the transport means comprises a walking floor wheeled, enclosed elongate material-carrying containers each having a floor, a rear wall, and two side walls, a roof having a coverable aperture therein and a front access door and having transport means to cause longitudinal transport of material placed within each one of said container;

- [[(ii) ]]providing the premises with a delivery bay for transfer of raw materials from a first one of said containers into the premises; and
- [[(iii)]] providing the premises with at least one waste collection bay wherein the waste collection bay includes an output for expulsion of the waste material into a second one of said containers through the aperture in the roof thereof.
- 8. (canceled)

B

9. (withdrawn - currently amended) A raw delivery and <u>compactorless</u> collection system as claimed in Claim 7 wherein further comprising a sheet attached to the bottom edge of one of the transverse moveable wall and the headboardeach wheeled container is a trailer as claimed in claim 3.